

# Basic Book Builder

A Pandoc build process for books, docs and articles



# Basic Book Builder

*A Pandoc build process for books, docs and articles*

|                     |                                    |
|---------------------|------------------------------------|
| <b>Author:</b>      | John Haverlack                     |
| <b>Version:</b>     | 1.1.0                              |
| <b>Date:</b>        | 2026-02-04                         |
| <b>Affiliation:</b> | Alaska Center for Energy and Power |
| <b>Institution:</b> | University of Alaska Fairbanks     |
| <b>ISBN:</b>        | UNSPECIFIED                        |
| <b>DOI:</b>         | UNSPECIFIED                        |
| <b>Maturity:</b>    | BETA                               |

**Copyright** © 2026 Alaska Center for Energy and Power

## Licensing

### Open Source Edition (PDF and HTML)

Licensed under the Creative Commons Attribution-NoDerivatives 4.0 International License.

- License: [CC BY-ND 4.0](#)

# Contents

|          |                                            |           |
|----------|--------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                        | <b>1</b>  |
| <b>2</b> | <b>Getting Started</b>                     | <b>2</b>  |
| 2.1      | Cloning the Basic Book Builder . . . . .   | 2         |
| 2.2      | Setting Up Build Environment . . . . .     | 2         |
| 2.3      | Testing . . . . .                          | 2         |
| 2.4      | Creating a New Project . . . . .           | 3         |
| 2.4.1    | Zotero Configuration (Optional) . . . . .  | 3         |
| <b>3</b> | <b>Usage</b>                               | <b>4</b>  |
| 3.1      | Editing Content . . . . .                  | 4         |
| 3.2      | Building . . . . .                         | 4         |
| 3.2.1    | PDF . . . . .                              | 4         |
| 3.2.2    | HTML . . . . .                             | 4         |
| 3.2.3    | DocX . . . . .                             | 4         |
| 3.2.4    | ODT . . . . .                              | 4         |
| 3.2.5    | Make All . . . . .                         | 4         |
| <b>4</b> | <b>Features</b>                            | <b>5</b>  |
| 4.1      | Metadata . . . . .                         | 5         |
| 4.2      | Front-matter . . . . .                     | 5         |
| 4.2.1    | Meta Data Page . . . . .                   | 5         |
| 4.2.2    | Cover Illustration . . . . .               | 5         |
| 4.2.3    | Dedication . . . . .                       | 6         |
| 4.3      | Chapters . . . . .                         | 6         |
| 4.4      | Appendixes . . . . .                       | 6         |
| 4.5      | Glossary . . . . .                         | 6         |
| 4.6      | Index . . . . .                            | 6         |
| 4.6.1    | Markdown Indexes . . . . .                 | 6         |
| 4.7      | Bibliography . . . . .                     | 6         |
| 4.7.1    | Zotero Integration . . . . .               | 6         |
| 4.7.2    | Obsidian Citations . . . . .               | 7         |
| 4.8      | Mathjax Equations . . . . .                | 7         |
| 4.8.1    | Left Justified / Inline . . . . .          | 7         |
| 4.8.2    | Centered . . . . .                         | 7         |
| 4.9      | Custom Markdown . . . . .                  | 7         |
| 4.9.1    | Call-outs . . . . .                        | 7         |
| <b>A</b> | <b>Appendix A: Build Environment Notes</b> | <b>11</b> |

## CONTENTS

|         |                           |           |
|---------|---------------------------|-----------|
| A.1     | Installing Pre-Requisites | 11        |
| A.1.1   | Required                  | 11        |
| A.1.1.1 | Pandoc                    | 11        |
| A.1.1.2 | Code Editor               | 11        |
| A.1.1.3 | jq and yq                 | 11        |
| A.1.1.4 | texlive                   | 11        |
| A.1.1.5 | MathJax                   | 12        |
| A.1.2   | Optional                  | 12        |
| A.1.2.1 | Obsidian                  | 12        |
| A.1.2.2 | Zotero                    | 12        |
| A.1.2.3 | lmodern                   | 13        |
| A.1.2.4 | epubcheck                 | 13        |
| A.1.2.5 | foliate                   | 13        |
| A.1.2.6 | calibre                   | 13        |
| A.2     | Editing the Configuration | 13        |
|         | <b>Glossary</b>           | <b>14</b> |
|         | <b>Index</b>              | <b>16</b> |
|         | <b>Bibliography</b>       | <b>18</b> |

# Introduction

This is a basic book (or article / document) builder template based on a Pandoc([Pandoc - Index, n.d.](#)) build process in conjunction with a number of other tools to generate PDF, HTML, LaTeX, Markdown, ODT, DOCX, and Epub book output formats from a single set Markdown source content , which can optionally be edited as an Obsidian vault.

This **basic book builder**([Jehaverlack/Basic-Book-Builder, n.d.](#)) template has been curated by John Haverlack.([John Haverlack | ACEP, n.d.](#))

# Getting Started

## 2.1 Cloning the Basic Book Builder

### Clone the repository

```
git clone https://github.com/jehaverlack/basic-book-builder.git
```

### Navigate to the repo directory

```
cd basic-book-builder
```

## 2.2 Setting Up Build Environment

### Debian Linux

This script only support Debian based Linux system (Debian, Ubunutu, Zorin, etc) This script has not been widely tested across platforms

### Setup Build Environment

```
./scripts/setup-linux-deb.sh
```

For more information on setting up the build environment for your system see Appendix A.

## 2.3 Testing

If you can build all format for the **Basic Book Build** then you have a working build environment.

|                                  |
|----------------------------------|
| <b>Testing Build Environment</b> |
| <code>make all</code>            |

## 2.4 Creating a New Project

### 2.4.1 Zotero Configuration (Optional)

# Usage

## 3.1 Editing Content

## 3.2 Building

### 3.2.1 PDF

`make pdf`

NOTE: Building the PDF also builds the **LaTeX** version of the book.

### 3.2.2 HTML

`make html`

### 3.2.3 DocX

`make docx`

NOTE: DocX is a work in progress. Frontmatter and formatting need work.

### 3.2.4 ODT

`make odt`

NOTE: ODT is a work in progress. Frontmatter and formatting need work.

### 3.2.5 Make All

To build all supported formats

`make all`



# Features

## 4.1 Metadata

Metadata for the project is managed in `metadata.yaml`. Edit this file to make global changes to variables for your document. Changes here will propagate to all format builds.

## 4.2 Front-matter

Front matter content is managed in:

- `templates/frontmatter.tex`
- `templates/frontmatter.html`
- `templates/frontmatter-md.html`

### Tip

Unfortunately when you edit one, you need to edit the respective changes to the other front-matter formats. ### Title Page

Edit the **Front-matter** files to modify the formatting of the Title Page.

### Tip

You'll need to modify the HTML / LaTeX.

### 4.2.1 Meta Data Page

Edit the **Front-matter** files to modify the 2nd page Metadata format.

### 4.2.2 Cover Illustration

Edit the **Front-matter** files to optionally un-comment the Cover Art Acknowledgement.

- This is disabled by default

### 4.2.3 Dedication

Edit the **Front-matter** files to modify un-comment the Book Dedication.

- This is disabled by default ## Table of Contents

## 4.3 Chapters

Chapter Markdown source files are located in the chapters directory. Edit the `template\pandoc.yaml` file to control which chapter markdown files are in what order.

## 4.4 Appendixes

TBD

## 4.5 Glossary

TBD

## 4.6 Index

TBD

### 4.6.1 Markdown Indexes

TBD

## 4.7 Bibliography

TBD

### 4.7.1 Zotero Integration

TBD

### 4.7.2 Obsidian Citations

TBD

## 4.8 Mathjax Equations

TBD

### 4.8.1 Left Justified / Inline

TBD

### 4.8.2 Centered

TBD

## 4.9 Custom Markdown

TBD

### 4.9.1 Call-outs

A few call-out box styles have been custom added to easily highlight certain types of content.

| Markdown Example                                                |
|-----------------------------------------------------------------|
| <code>[!established] Green Call-out Title</code><br>A green box |

Will render:

| Green Call-out Title |
|----------------------|
| A green box          |

### Markdown Example

```
[!proposed] Blue Call-out Title  
A blue box
```

Will render:

### Blue Call-out Title

A blue box

---

### Markdown Example

```
[!speculative] Purple Call-out Title  
A purple box
```

Will render:

### Purple Call-out Title

A purple box

---

### Markdown Example

```
[!caution] Caution Note  
Beware of this section.  AKA a orange box.
```

Will render:

### Caution Note

Beware of this section. AKA a orange box.

---

### Markdown Example

```
[!warning] Warning Note  
Same as the Caution Box
```

## CHAPTER 4. FEATURES

Will render:

| Warning Note            |
|-------------------------|
| Same as the Caution Box |

---

| Markdown Example                                                            |
|-----------------------------------------------------------------------------|
| <code>[!danger] Alert</code><br>A slightly stronger warning. AKA a red box. |

Will render:

| Alert                                       |
|---------------------------------------------|
| A slightly stronger warning. AKA a red box. |

---

| Markdown Example                                                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <code>[!code] Code Block</code><br><code>'''</code><br><code>if [ true ]; do</code><br><code>    echo "The Cow Jumps over the Moon"</code><br><code>fi</code><br><code>'''</code> |

Will render:

| Code Block                                                                                             |
|--------------------------------------------------------------------------------------------------------|
| <code>if [ true ]; do</code><br><code>    echo "The Cow Jumps over the Moon"</code><br><code>fi</code> |

---

| Markdown Example                                           |
|------------------------------------------------------------|
| <code>[!cli] Command line</code><br>A command line example |

## CHAPTER 4. FEATURES

```
'''
$ ls
build chapters conf filters lib LICENSE.md Makefile metadata.yaml >README
'''
```

Will render:

| Command line                                                                                                |
|-------------------------------------------------------------------------------------------------------------|
| A command line example<br>\$ ls<br>build chapters conf filters lib LICENSE.md Makefile metadata.yaml README |

Appendix A

# Appendix A: Build Environment Notes

## A.1 Installing Pre-Requisites

### Not Cross-platform Tested

For Debian / ZorinOS and likely Ubuntu based systems.

### A.1.1 Required

#### A.1.1.1 Pandoc

- <https://pandoc.org/>
- [Download](#)

```
sudo apt install https://github.com/jgm/pandoc/releases/download/3.8.2.1
```

#### A.1.1.2 Code Editor

##### Code Editor

[VSCodium](#) is recommend for privacy (telemetry/tracking) reasons - <https://vscodium.com/>

But any text editor will work. #### make

```
sudo apt install make
```

#### A.1.1.3 jq and yq

```
sudo apt install jq yq
```

#### A.1.1.4 texlive

```
sudo apt install texlive texlive-xetex texlive-latex-extra
texlive-fonts-recommended texlive-fonts-extra
```

### A.1.1.5 MathJax

- <https://www.mathjax.org/>

```
wget https://registry.npmjs.org/mathjax/-/mathjax-3.2.2.tgz
tar xzf mathjax-3.2.2.tgz
mv package/es5/* lib/mathjax
rm -rf package mathjax-3.2.2.tgz
```

**TODO**

This need to be rolled into a setup script.

### A.1.2 Optional

The following are not strictly requires to use this book builder template.

#### A.1.2.1 Obsidian

**Highly Recommended**

Editing book chapter content in Obsidian is a very productive means for editing Markdown source content.

- <https://obsidian.md/>
- [Deb Package](#)

```
sudo apt install https://github.com/obsidianmd/obsidian-releases/releases/download/
```

#### A.1.2.2 Zotero

**Highly Recommended**

If you need to managed citations and references, Zotero integration is highly recommended.

- <https://www.zotero.org/>

```
sudo cp ./scripts/deps/zotero.list /etc/apt/sources.list.d/
sudo apt update
sudo apt install zotero
```



**A.1.2.2.1 Better BibTex for Zotero** Install the Better BibTex Plugin for Zotero - Zotero > Tool > Plugins

#### **A.1.2.2.2 Export citations.bib**

- Zotero > File > Export Library > Format: Better BibTeX
- ☐ Keep Updated
- ☐ Save to: ~/Documents/Lib/zotero.bib
- ☐ Symlink your ~/Documents/Lib/Citations.bib to basic-book-builder/lib/zotero.bib

#### **A.1.2.2.3 Zotero Connector Browser Plugin**

- <https://chromewebstore.google.com/detail/zotero-connector/ekhagklcjbdpajgpjgmbionohl>

Provides you the ability to auto add Web resources to your Zotero citation database.

#### **A.1.2.3 lmodern**

```
sudo apt install lmodern
```

#### **A.1.2.4 epubcheck**

```
sudo apt install epubcheck
```

#### **A.1.2.5 foliate**

An EPub Reader

- <https://johnfactotum.github.io/foliate/>

```
sudo apt install https://github.com/johnfactotum/foliate/releases/download/2
```

#### **A.1.2.6 calibre**

An EPub Reader

- <https://calibre-ebook.com>

```
sudo apt install calibre
```

## **A.2 Editing the Configuration**

# Glossary

| Term                              | Description                                                                                                                                 |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AST (Abstract Syntax Tree)</b> | Pandoc's internal structured representation of a document. Lua filters operate on the AST before rendering to a target format.              |
| <b>Bibliography</b>               | A .bib file (e.g., Zotero export) used by Pandoc with citeproc to generate formatted citations and reference lists.                         |
| <b>Callout</b>                    | A styled block (e.g., [!warning]) transformed by Lua filters into format-specific output such as LaTeX environments or HTML <div> elements. |
| <b>Defaults File (YAML)</b>       | A Pandoc configuration file defining output format, filters, metadata, and rendering options (e.g., pdf.yaml, html.yaml).                   |
| <b>DOCX</b>                       | Microsoft Word document format generated by Pandoc; styling is controlled via a reference.docx file.                                        |
| <b>Filter (Lua)</b>               | A script that modifies Pandoc's AST before rendering. Used in this workflow for callouts and other structural transformations.              |
| <b>Frontmatter</b>                | Format-specific content inserted before the main body (e.g., frontmatter.tex, frontmatter.html, frontmatter-docx.md).                       |
| <b>HTML</b>                       | Web output format generated by Pandoc, typically styled via CSS and supporting interactive features.                                        |
| <b>LaTeX</b>                      | Typesetting system used for high-quality PDF generation via XeLaTeX in this workflow.                                                       |
| <b>Lua Filter</b>                 | A lightweight scripting extension used by Pandoc to customize document transformations programmatically.                                    |
| <b>Makefile</b>                   | Automation script orchestrating the build pipeline for PDF, HTML, DOCX, ODT, and Markdown outputs.                                          |
| <b>Markdown</b>                   | Plain-text markup language serving as the source format for all outputs in the workflow.                                                    |
| <b>Metadata</b>                   | Key-value pairs (e.g., metadata.yaml) defining title, author, license, version, and other document variables.                               |
| <b>ODT</b>                        | OpenDocument Text format used by LibreOffice; similar to DOCX but open-standard.                                                            |

## APPENDIX A. APPENDIX A: BUILD ENVIRONMENT NOTES

| Term                           | Description                                                                                                     |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Pandoc</b>                  | Universal document converter used to transform Markdown into PDF, HTML, DOCX, ODT, EPUB, and more.              |
| <b>PDF</b>                     | Portable Document Format output produced via Pandoc + XeLaTeX.                                                  |
| <b>Reference Document</b>      | A DOCX or ODT file defining styles (fonts, headings, spacing) used when generating Word/LibreOffice outputs.    |
| <b>Resource Path</b>           | Directories Pandoc searches for images, diagrams, and other assets during rendering.                            |
| <b>Template</b>                | A format-specific layout file (e.g., LaTeX template) used to control document structure beyond styling.         |
| <b>TOC (Table of Contents)</b> | Automatically generated navigation structure controlled by <code>toc</code> and <code>toc-depth</code> options. |
| <b>XeLaTeX</b>                 | LaTeX engine used to generate PDFs with modern font support (via <code>fontspec</code> ).                       |
| <b>Zotero</b>                  | Reference manager used to generate <code>.bib</code> files for citation processing with Pandoc.                 |

# Index

Pandoc, [1](#)

## Bibliography

# Bibliography

*Jehaverlack/Basic-Book-Builder: A Pandoc Workflow for Building PDF, HTML, EPUB, and LaTeX Book Format.* n.d. <https://github.com/jehaverlack/basic-book-builder>.

*John Haverlack | ACEP.* n.d. <https://www.uaf.edu/acep/about/our-team/john-haverlack.php>.

*Pandoc - Index.* n.d. <https://pandoc.org/>.

*Jehaverlack/Basic-Book-Builder: A Pandoc Workflow for Building PDF, HTML, EPUB, and LaTeX Book Format.* n.d. <https://github.com/jehaverlack/basic-book-builder>.

*John Haverlack | ACEP.* n.d. <https://www.uaf.edu/acep/about/our-team/john-haverlack.php>.

*Pandoc - Index.* n.d. <https://pandoc.org/>.

## Bibliography